ELSEVIER

Journal of Non-Crystalline Solids 205–207 (1996) ix–xviii

JOURNAL OF
NON-CRYSTALLINE SOLIDS

Contents

Preface vii
Committees viii
Contents Parts I and II ix

Part I

Section 1. Quasicrystals

Insulating and semiconducting phases of quasicrystalline and crystalline aluminum alloys
S.J. Poon, Q. Guo, P. Volkov and F.S. Pierce 1

Local order of molten quasicrystals and approximant phases
H. Klein, L. Descôtes, M. Audier, R. Bellissent and F. Hippert 6

First results on the anisotropy of the quasi-elastic neutron scattering signal from phason dynamics in a single-grain quasicrystal of AlPdMn
S. Lyonnard, G. Coddens, B. Hennion, R. Bellissent and Y. Calvayrac 11

Anisotropic transport properties of the decagonal quasicrystal, $Al_{70}Ni_{15}Co_{15}$
D.G. Naugle, W.D. Bruton, K.D.D. Rathnayaka and A.R. Kortan 17

Vanishing Coulomb interaction parameter F_σ with increasing temperature in AlCuFe-quasicrystals
M. Ahlgren, M. Rodmar, M. Sommer and Ö. Rapp 21

Spherical geometric representation of coincidence site lattice (CSL) rotations for icosahedral symmetry
R. Lück and D.H. Warrington 25

Section 2. Metal–non-metal transition: liquid and amorphous semiconductors and metal–salt mixtures

The metal–nonmetal transition in liquid alloys
J.E. Enderby 28

The metal–insulator transition in disordered tungsten bronzes. Results of an Anderson–Mott–Hubbard model
H. Dücker, Th. Koslowski, W. von Niessen, M.A. Tusch and D.E. Logan 32

The semiconductor–metal transition of liquid arsenic–selenium mixtures at high temperatures and high pressures
H. Hoshino, T. Miyanaga, H. Ikemoto, S. Hosokawa and H. Endo 43

ESR study of spin dynamics in K_xKCl_{1-x} melts ($10^{-4} \leq x \leq 10^{-1}$) approaching the M–NM transition
Th. Schindelbeck and W. Freyland 48

Electronic structure of metal–molten salt solutions: Electron localization and the metal–non-metal transition
U. Beck, Th. Koslowski and W. Freyland 52

Pressure-induced semiconductor–metal transition in Te–Se mixtures
Y. Ohmasa, I. Yamamoto and H. Endo 57

Metal–semiconductor transition in liquid M_xSb_{1-x} alloys (M = Na, K, Cs): variation of electrical conductivity and thermodynamic properties
J. Bernard and W. Freyland 62

Survival of polyanions in expanded liquid Zintl alloys
R. Winter, O. Leichtweiß, C. Biermann, M.-L. Saboungi, R.L. McGreevy and W.S. Howells 66

The effect of adding a tea-spoon of palladium to liquid potassium–thallium
S.A. van der Aart, W. van der Lugt, P. Verkerk, R. Xu, F. van der Horst and R.L. McGreevy 71

Local orders in II–VI liquid compounds
J.-P. Gaspard, J.-Y. Raty, R. Céolin and R. Bellissent 75

The liquid Ag–Se system studied by ab initio simulations
F. Kirchhoff, J.M. Holender and M.J. Gillan 79

Structure and physical properties of liquid chalcogens
M. Yao and H. Endo 85

The electronic properties and structure of liquid Tl–Se and Ga–Se alloys.
S.B. Lague, A.C. Barnes, A.D. Archer and W.S. Howells 89

Sound velocity in the liquid Ag–Se system
Y. Tsuchiya 94

The electrical conductivity and thermopower of liquid $Ag_{1-c}Se_c$ alloys with $0.4 \leq c \leq 1.0$
S. Ohno, T. Okada, A.C. Barnes and J.E. Enderby 98

Electronic properties of liquid Si–Se alloys
T. Okada, T. Fujisawa and S. Ohno 102

Structural investigation of liquid Ge-chalcogen mixtures
K. Maruyama, M. Misawa, M. Inui, S. Takeda, Y. Kawakita and S. Tamaki 106

Absorption edge in liquid iodine under pressure
U. Buontempo, P. Postorino and M. Nardone 110

Photo-induced structural changes in liquid sulfur
Y. Sakaguchi and K. Tamura 115

Transport effects in a liquid IV–VI alloy: the Te–Si system
J.-G. Gasser, H. Halim, J.-F. Wax and J. Vinckel 120

Magnetic susceptibility measurements of $Tl_{1-x}Se_x$ alloys close to the stoichiometric composition Tl_2Se
A.D. Archer, S.B. Lague and A.C. Barnes 126

TOF-neutron diffraction study of liquid Tl–As_2X_3 systems (X: Se, Te)
Y. Kameda, T. Usuki and O. Uemura 130

Magnetic field induced orientational order of conductive fibers in non-conductive liquids
Y. Schmitt, C. Paulick, F.X. Royer and J.G. Gasser 135

Molecular dynamics calculation of structure and transport properties for molten YCl_3
Y. Okamoto, H. Hayashi and T. Ogawa 139

Structural changes and concentration fluctuations in the liquid Se–Te system
Y. Tsuchiya, F. Kakinuma and C. Bergman 143

Thermodynamic properties of liquid Te–I mixtures
F. Kakinuma, Y. Tsuchiya and K. Suzuki 147

Structure and dynamical properties of molten V_2O_5
S. Takeda, Y. Kawakita, M. Inui, K. Maruyama, S. Tamaki, K. Sugiyama and Y. Waseda 151

EXAFS measurements on molten AgBr–AgI mixtures
M. Inui, K. Maruyama, Y. Shirakawa, S. Takeda and S. Tamaki 155

Structure and thermodynamic properties of molten $Ag(Cl_{1-x}I_x)$
M. Inui, A. Hiramatsu, Y. Kawakita and S. Takeda 159

Macroclustering in liquid lithium niobate
P. Andonov, S. Kimura and P. Palleau 163

Neutron diffraction results from some nitrate melts
A.K. Adya and G.W. Neilson 168

The coordination environment of Ag and Cu in ternary chalcogenide glasses
P.S. Salmon and J. Liu 172

Preparation and characterization of co-evaporated a-GaAs films
M.F. Kotkata, K.M. Kandil, M.H. El-Fouly and M.M. Ibrahim 176

Electrical and optical studies on amorphous $CuInSe_2$ films
M.F. Kotkata, K.M. Kandil and M.S. Al-Kotb 180

Short-range order of amorphous and liquid As–Te–I system
T. Usuki, K. Saitoh, M. Endo and O. Uemura 184

Local atomic arrangement in Ge–Te and Ge–S–Te glasses
O. Uemura, N. Hayasaka, S. Tokairin and T. Usuki 189

Amorphous structure in Te–X–I (X:S, Se) mixtures
O. Uemura, T. Mori, N. Tadami and Y. Kameda 194

EXAFS study of amorphous selenium under pressure
Y. Katayama, K. Tsuji, O. Shimomura and H. Oyanagi 199

Atomic motions in NaSn: an unusual molecular semiconductor
R.D. Stoddard, M.S. Conradi, A.F. McDowell, M.-L. Saboungi and D.L. Price 203

Diffusion of gold and platinum in amorphous silicon and germanium
W. Frank, W. Gustin and M. Horz 208

Computer simulation of non-crystalline oxides MeO and Me_2O_3
D.K. Belashchenko 212

Evidence for the self-interstitial model of liquid and amorphous states from lattice parameter measurements in krypton
C.A. Gordon, A.V. Granato and R.O. Simmons 216

Structural and thermal studies of nitrate glasses
Y.B. Wang, D.H. Ryan and Z. Altounian 221

Raman spectroscopic study of alkali silicate glasses and melts
N. Umesaki, M. Takahashi, M. Tatsumisago and T. Minami 225

Section 3. Metal–non-metal transition: expanded metals and compressed non-metals

Critical behaviour in liquid mercury
F. Hensel and M. Yao 231

Structural changes and the metal–non-metal transition in supercritical fluids
K. Tamura 239

Equation of state and structure factor of mercury
S. Nagel, R. Redmer and G. Röpke 247

Calculated structure, phase coexistence, and electrical conductivity of the alkali fluids
E. Chacón, J.P. Hernandez and P. Tarazona 251

Cluster phase transitions and critical phenomena in fluid mercury
V. Kozhevnikov, D. Arnold, E. Grodzinskii and S. Naurzakov 256

X-ray diffraction measurements for expanded fluid selenium up to the metallic region
M. Inui, T. Noda and K. Tamura 261

A review of determinations of critical point data of metals using subsecond pulse heating techniques
G. Pottlacher and H. Jäger 265

Anomalous volume contraction of expanded mercury by the addition of impurity elements
M. Yao, K. Takehana and H. Endo 270

Acoustic properties of expanded fluid mercury
M. Yao, K. Okada, T. Aoki and H. Endo 274

Effective pair potential of expanded liquid rubidium obtained by the inverse method
S. Munejiri, F. Shimojo, K. Hoshino and M. Watabe 278

Dense molecular hydrogen: Order, disorder, and localization
R.J. Hemley and H.-k. Mao 282

Dynamic correlations in liquid and glassy selenium: search for intermediate scales
M.A. Gonzalez, J.L.J. Severiano, N.G. Almarza, E. Enciso and F.J. Bermejo. 285

Investigations of possible metallic and critical behavior in the solid hydrogens at megabar pressures
I.F. Silvera 290

Section 4. Liquid metals and alloys

Structure of liquid rubidium under high pressure
K. Tsuji, Y. Katayama, Y. Morimoto and O. Shimomura. 295

Single-particle motion in liquid sodium: thermal crossover between two dynamical regimes
U. Balucani, A. Torcini, A. Stangl and Chr. Morkel 299

Local $g(r)$ properties in liquids probed by high-temperature EXAFS
A. Di Cicco and A. Filipponi 304

The Fermi enthalpy in liquid alloys
E. Hayer, M. Gaune-Escard and J.P. Bros 312

The specific heat of highly undercooled (Co, Ni, Fe)–Pd melts
G. Wilde, G.P. Görler and R. Willnecker 317

Angular momentum of conduction electron states
M. Dürrwächter, G. Indlekofer, H.-G. Boyen, P. Oelhafen and D. Quitmann 322

Electronic properties of the liquid alloys AlCa and AlBa
D. Zuo, T. Vos, H. Nymeyer, L. Reynolds, H.S. Schnyders and J.B. Van Zytveld 328

Thermopower and electrical resistivity of liquid and crystalline Dy and Ho at temperatures 300–2000 K
A.T. Burkov, D.A. Kolgunov, K. Hoag and J. Van Zytveld 332

The role of fluctuations on the electrical resistivity and atomic volume for some liquid alloys with critical mixing
T. Masaki, T. Onogi, K. Ogura, I. Kudo and T. Itami 338

Spin susceptibility for liquid alkali metals
S.K. Lai 342

The origin of the metallic nature for liquid Te
H. Ikemoto, I. Yamamoto, T. Tsuzuki and H. Endo 347

Temperature and concentration dependence of the enthalpy of formation of liquid Al–La–Ni alloys
F. Sommer, J. Schmid and F. Schuller 352

Magnetic and structural properties of liquid Ag–polyvalent systems
Y. Shirakawa, Y. Arai and S. Tamaki 357

On the structure of liquid tellurium
C. Bichara, J.-Y. Raty and J.-P. Gaspard 361
Electron–ion correlation in liquid metals
S. Takeda, Y. Kawakita, M. Inui, K. Maruyama, S. Tamaki and Y. Waseda 365
Temperature dependence of the collective atomic dynamics of liquid rubidium
P. Chieux, J. Dupuy-Philon, J.-F. Jal and J.-B. Suck 370
Growth of fluctuations under microgravity in liquid Bi–Ga alloys
T. Itami, T. Masaki, K. Kuribayasi, E. Sato, M. Hinada, M. Yamasita and K. Kawasaki 375
Thermodynamic studies and the phase diagram of the Li–Sn system
W. Gasior, Z. Moser and W. Zakulski 379
Shear viscosity of liquid metals obtained by non-equilibrium molecular dynamics
T. Koishi, Y. Shirakawa and S. Tamaki 383
Electrical resistivity and absolute thermoelectric power of liquid silver–bismuth alloys
J. Vinckel and J.G. Gasser 388
Structure and electrical resistivity of liquid Ni–Ge alloys
B. Grosdidier, J.P. Lutz, S. Saadeddine and J.G. Gasser 393
Single particle motion in a dense liquid: A competition of mode coupling effects
A. Stangl, Chr. Morkel, U. Balucani and A. Torcini 402
Investigation of critical phenomena in the miscibility gap region of the In–Te system
J. Vollmann and V. Didoukh 408
Diffusion in liquid metals
G. Mathiak, A. Griesche, K.H. Kraatz and G. Frohberg 412
Mixing enthalpy of liquid T–Ti–Zr (T = Fe, Co, Ni) alloys
H. Wang and R. Lück 417
Thermodynamic properties of ternary liquid zinc-alloys
S. Karlhuber, M. Peng and A. Mikula 421
Specific heat and related thermodynamic functions of undercooled Cu–Ni and Au melts
G. Wilde, C. Mitsch, G.P. Görler and R. Willnecker 425
Critical sound wave propagation in an alloy with a miscibility gap
Y. Tsuchiya and M. Nagai 430
Structure and thermodynamics of the 3d-transition metals in the liquid state
N. Jakse, J.-F. Wax, J.-L. Bretonnet and A. Pasturel 434
The short range order of liquid eutectic A_{III}–Te and A_{IV}–Te alloys
H. Neumann, F. Herwig and W. Hoyer 438
Concentration dependence of the structure of liquid Li–Na and Li–Mg alloys
L.E. González, D.J. González and M. Silbert 443
Static and dynamic structures of liquid tellurium containing alkalis
Y. Kawakita, M. Yao, H. Endo and J. Dong 447
Density of liquid tellurium under pressure
Y. Katayama, K. Tsuji, H. Kanda, H. Nosaka, K. Yaoita, T. Kikegawa and O. Shimomura 451
The crossover of structure in liquid alkali–Hg alloys
T. Itami, K. Sugimura and Y. Yasuhara 455
Sound velocity and thermodynamic properties of liquid rubidium and potassium at high temperatures and pressures
D.I. Arnold, O.I. Girney, E.V. Grodzinsky, V.F. Kozhevnikov and S.P. Naurzakov 459

Author index Parts I and II xvix
Subject index Parts I and II xxxi

Part II

Section 5. Liquid–glass transition, melting, amorphization and crystallization

Glass transitions and first order liquid-metal-to-semiconductor transitions in 4–5–6 covalent systems
C.A. Angell, S. Borick and M. Grabow 463

Dynamics of binary liquids near the glass transition: a mode-coupling theory
Y. Kaneko and J. Bosse 472

The glass transition in $Zr_{67}(Ni_{1-x}Cu_x)$ metallic glasses
M. Mao, Z. Altounian and D.H. Ryan 476

Fragility of glass-forming systems and the width of the glass transition
R. Brüning and M. Sutton 480

Time resolved photoelectron spectroscopy of germanium and silicon during the solid to the liquid state phase transition
G. Gantner, H.-G. Boyen and P. Oelhafen 490

Heat capacity and non-isothermal viscous flow of $Al_{7.5}Cu_{17.5}Ni_{10}Zr_{65}$ glassy alloy in the glass transition range
J. Zappel and F. Sommer 494

Formation of amorphous alloys with significant supercooled liquid region by mechanical alloying
J. Eckert, M. Seidel and L. Schultz 500

On the viscosity near the melting point of some liquid glass-forming transition metal alloys
H. Chiriac, M. Tomut and M. Grigorica 504

Supercooled liquid region in Zr–Cu based bulk amorphous alloys
V.V. Molokanov, M.I. Petrzhik, T.N. Mikhailova and Yu.K. Kovneristyi 508

Mg-based amorphous alloys with extended supercooled liquid region produced by mechanical alloying
M. Seidel, J. Eckert, E. Zueco-Rodrigo and L. Schultz 514

Amorphization from the quenched high-pressure phase in GaAs and GaP
K. Tsuji, Y. Katayama, H. Kanda and H. Nosaka 518

Optimization of solidification and phase selection sequences in water quenched Zr–Al–Ni–Cu alloys
P.S. Frankwicz, S. Ram and H.-J. Fecht 522

EXAFS study on mechanically alloyed Fe–B powder mixtures
T. Nasu, M. Sakurai, K. Suzuki, C.C. Koch, A.M. Edwards and D.E. Sayers 527

Structure of amorphous Se prepared by milling
T. Fukunaga, M. Utsumi, H. Akatsuka, M. Misawa and U. Mizutani 531

Bulk amorphous plate production by a casting process
I.I. Konovalov, V.A. Komissarov, A.A. Maslov and V.K. Orlov 536

Crystallization of near-eutectic Co–Zr alloys and the formation and fast decay of a bcc $Co_{92}Zr_8$ solid solution
R. Brüning, A. Zaluska, M. Sutton, J.O. Ström-Olsen and S. Brauer 540

Evaluation of crystal nucleation and growth from crystallization kinetics data of new halide glasses
S. Suriñach, E. Illeková, M.D. Baró, A. Jha and S. Jordery 546

The effect of crystal structure on nucleation
M.J. Uttormark and J.H. Perepezko 550

Study of the thermodynamic mechanism of the crystallization of amorphous Fe–Mo–Si–B alloy with a diffusion reaction at the surface
B. Yao, Y.Y. Hao, A.M. Wang, W.Q. Guo, B.Z. Ding, H.Z. Liu and Z.Q. Hu 554

The devitrification of Al–Y–Fe amorphous alloys
J.C. Foley and J.H. Perepezko 559

Particle desorption from the surface of an amorphous metallic alloy
G.P. Vyatkin, T.P. Privalova, A.E. Chudakov, B.R. Gelchinski and A.B. Manokhin 563

Section 6. Amorphous metals and alloys

Metallic glasses: structure and properties
N. Cowlam 567
The atomic structure of aluminum based metallic glasses and universal criterion for glass formation
T. Egami 575
X-ray diffraction with amorphous and hydrogenated nickel–dysprosium alloys
Ma. Nuding, P. Lamparter and S. Steeb 583
Electronic structure of amorphous Fe_xY_{100-x} alloys
A. Cossy-Favre, H.-G. Boyen, P. Oelhafen, Ch. Becker and J. Hafner 587
Temperature dependence of the total dynamic structure factor of the metallic glass $Ni_{33}Zr_{67}$
J.-B. Suck 592
Alloys of high glass-forming ability
L.Q. Xing, P. Ochin, M. Harmelin, F. Faudot and J. Bigot 597
Elastic moduli, density, and structural relaxation in bulk amorphous $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10}Be_{22.5}$ alloy
Y. He, R.B. Schwarz, D. Mandrus and L. Jacobson 602
Pressure and mass dependence of diffusion in metallic glasses
K. Rätzke, A. Heesemann and F. Faupel 607
Magneto-impedance of some non-zero magnetostrictive amorphous ribbons
S.U. Jen and Y.D. Chao 612
Superconducting transition temperature in amorphous ReCr alloys
O.V. Stognei, M. Rodmar, Yu.V. Barmin, I.V. Zolotukhin and Ö. Rapp 616
Mechanically alloyed Fe–Zr–(B,Cu) alloys: effect of composition and heat treatment on the microstructure and the magnetic properties
C. Stiller, J. Eckert, S. Roth, R. Schäfer, U. Klement and L. Schultz 620
Asperomagnetism in amorphous Fe–Y alloys
D. Spišák, J. Hafner, R. Lorenz and Ch. Becker 624
Amorphous and metastable $Fe_{1-x}Si_x$ alloys and compounds prepared by solid-state synthesis
P. Ruuskanen 629
Reversible enthalpy relaxation in $Zr_{67}(Ni_{1-x}Cu_x)_{33}$ metallic glasses
M. Mao and Z. Altounian 633
Effects of Al on the glass-forming ability of Zr–Cu based alloys
L.Q. Xing, P. Ochin and J. Bigot 637
Phonon localization and atomic mobility in amorphous $Ni_{81}B_{19}$
L.D. Van Ee, B.J. Thijsse and J. Sietsma 641
The relation between structural relaxation and the spin dynamics in amorphous $Fe_{40}Ni_{40}B_{20}$
M. de Jong, J. Sietsma, M.Th. Rekveldt, B.P. Toperverg, V.V. Deriglazov, V.V. Runov, A.I. Okorokov, H. Eckerlebe and R. Kampmann 645
The electrodeposition of amorphous Co–Zn alloy from ambient temperature molten salt electrolytes
N. Koura, T. Endo and Y. Idemoto 650
Magnetic and structural properties of amorphous transition metals and alloys
R. Bellissent, G. Galli, T. Hyeon, P. Migliardo, G. Parette and K.S. Suslick 656
Structure of sputter-deposited V–Si amorphous alloys
T. Fukunaga, T. Ishizuka, H. Ishihara, T. Koyano and U. Mizutani 660
Electron transport properties of amorphous $Ti_x(Cu_{0.70}Al_{0.30})_{1-x}$ and $Ti_x(Cu_{0.15}Al_{0.85})_{1-x}$ quench condensed thin films
K.D.D. Rathnayaka, B.D. Hennings and D.G. Naugle 665

Superconductive properties of binary amorphous alloys
Y.P. Krasny, N.P. Kovalenko and V.A. Tesis 669

The resistivity and the magnetoresistivity of hydrogen-doped $Zr_{67}Co_{33}$ metallic glass
I. Kokanović, B. Leontić and J. Lukatela 673

The electrical resistance and enthalpy of industrial alloys based on nickel and copper
V.N. Korobenko and A.I. Savvatimski 678

Magnetostrictive and piezomagnetic properties of the $Fe_{73.5}Cu_1Nb_3Si_{15.5}B_7$ metallic glass annealed in helium
Z. Kaczkowski, P. Ruuskanen, L. Lanotte and M. Müller 683

Magnetization processes in amorphous FeSiB glass covered wires
H. Chiriac, Gh. Pop, F. Barariu, T.A. Óvári and M. Tomuţ 687

Enhancement of superconductivity in relaxed Fe–Zr metallic glasses
M. Sabouri-Ghomi and Z. Altounian 692

Anelastic relaxation in amorphous $Pd_{40}Ni_{40}P_{20}$ studied with elongation and electrical resistance measurements
P. de Hey, J. Sietsma and A. van den Beukel 696

Vibrational density of states of decagonal $Al_{70}Co_{15}Ni_{15}$
M. Mihalkovic, F. Dugain and J.-B. Suck 701

Reversible structural relaxation in melt-spun $Co_{80-x}Cr_xB_{20}$ ($x = 20$, 25 or 30) amorphous alloys
O. Haruyama, V. Ocelík and N. Asahi 706

Partial thermodynamic properties of magnesium in ternary Cu–Mg–Si alloys
V. Ganesan and H. Ipser 711

The like–like–like partial triplet correlation functions of amorphous $Ni_{62}Nb_{38}$
O. Gereben and L. Pusztai 716

Structural study of amorphous GdM_2 (M = Fe, Co, Ni) alloys by the anomalous X-ray scattering (AXS) method
M. Saito, Y. Waseda, E. Matsubara, X.-M. Wang, T. Aihara, K. Aoki and T. Masumoto 721

Local structure of Al–La–Ni amorphous alloys
I. Yamamoto, J. Van Zytveld and H. Endo 728

The generalised vibrational density of states and total dynamic structure factor of the metallic glass $Zr_{65}Cu_{17.5}Ni_{10}Al_{7.5}$ measured at room temperature
J.-B. Suck, H. Schober and H. Güntherodt 733

Phase formation and transport properties in amorphous and nanocrystalline Cr_xSi_{1-x} and Re_xSi_{1-x} thin films
A.T. Burkov, C. Gladun, A. Heinrich, W. Pitschke and J. Schumann 737

Interface phenomena in processing of ceramic reinforced amorphous metal composites
G. Kaptay, P. Bárczy, F. Szigeti, A. Lovas, Z. Gácsi and L. Bolyán 742

Section 7. Surfaces, interfaces, clusters, intercalates and nanocrystals

Investigation of non-crystalline surfaces by scanning tunneling microscopy
T.M. Schaub, D.E. Bürgler, C.M. Schmidt and H.-J. Güntherodt 748

Structure of the liquid–vapor interfaces of metals and binary alloys
S.A. Rice 755

X-ray studies of atomic layering at liquid metal surfaces
M.J. Regan, O.M. Magnussen, E.H. Kawamoto, P.S. Pershan, B.M. Ocko, N. Maskil, M. Deutsch, S. Lee, K. Penanen and L.E. Berman 762

Molecular dynamics study of disordering, roughening, and premelting of the Pb(110) surface
A. Landa, H. Häkkinen, R.N. Barnett, P. Wynblatt and U. Landman 767

Wetting phenomena at the liquid–vapor interface of gallium–bismuth alloys studied by spectroscopic ellipsometry
D. Nattland, S.C. Müller, P.D. Poh and W. Freyland 772

Low temperature amorphization at interfaces in layered structures: evidence for a low-dimensional Peierls system
H.-G. Boyen, A. Cossy-Favre, G. Gantner, H. Stupp, C. Lauinger and P. Oelhafen 776

The atomic structure of transition metal clusters
S.J. Riley 781

Atomic force microscopy, electronic and vibrational spectroscopy of Au colloids formed by ion implantation in muscovite mica
D.O. Henderson, R. Mu, A. Ueda, Y.S. Tung, C.W. White, R.A. Zuhr and J.G. Zhu 788

Density-functional molecular dynamics study of Cd microclusters: stability and non-metal–metal transition
F. Yonezawa and H. Tanikawa 793

Semiconductors in the disordered state: From bulk to nanoscale
P. Armand, A. Goldbach, C. Cramer, R. Csencsits, L.E. Iton, D.L. Price and M.-L. Saboungi 797

Structural properties of low dimensional potassium metal in intercalated graphite
Y. Arai, Y. Shirakawa and S. Tamaki 803

Photo-induced effects on chalcogen free microclusters
K. Nagaya, T. Hayakawa, M. Yao and H. Endo 807

Magnetothermal analysis of the amorphous to nanocrystal transformation
R. Lück, K. Lu and Z.F. Dong 811

Surface modification of TiO_2 nanoparticles with bidentate ligands studied by EPR spectroscopy
T. Rajh, D.M. Tiede and M.C. Thurnauer 815

Structural investigations of composite materials by neutron scattering at KUR
M. Ono 821

Magnetostriction and crystallization of a Fe–Cu–Nb–Si–B alloy annealed in a vacuum from 300 to 650°C
Z. Kaczkowski and P. Ruuskanen 825

Nanocrystallization of amorphous Pd–Cu–Si alloy under creep conditions
V.N. Kuznetsov, E.G. Ponomareva and N.I. Noskova 829

Section 8. Theory and simulation

Ab initio molecular dynamics applied to the dynamics of liquid metals and to the metal–non-metal transition
G. Kresse 833

Calculation of electronic properties of amorphous alloys
J.C. Swihart, D.M.C. Nicholson, G.M. Stocks, Y. Wang, W.A. Shelton and H. Yang 841

Structural and electronic properties of liquid and amorphous carbon calculated by the 'fuzzy' tight-binding Monte Carlo method
M. Krajčí and J. Hafner 846

Local field factor and effective potentials in liquid metals
G. Senatore, S. Moroni and D.M. Ceperley 851

Single particle motion in liquid sodium: a mode-coupling analysis
G. Nowotny and G. Kahl 855

Disorder-induced resistivity of liquid and amorphous transition metals calculated within the scattered-wave supercell concept
R. Arnold and H. Solbrig 861

The ab initio simulation of the liquid Ga–Se system
J.M. Holender and M.J. Gillan 866
Structural and electronic properties of molten semimetals: An ab initio study for liquid antimony
K. Seifert, J. Hafner and G. Kresse 871
Molecular dynamics simulation for binary amorphous Zr–Ni alloys
T. Aihara Jr., Y. Kawazoe and T. Masumoto 875
Monte Carlo study of 4th-inverse power potential using parallel computers: The role of structure factor in low wavenumber region
T. Arai, I. Yokoyama and M. Kobayashi 879
Model of anomalous relaxation in supercooled liquids: random walk in fractal space and time
F. Yonezawa, S. Fujiwara and S. Gomi 884
Generation of $Ni_{44}Nb_{56}$ and $Ni_{62}Nb_{38}$ metallic glass computer models and investigation of their structures
M.I. Mendelev, D.K. Belashchenko and S.N. Ishmaev 888
First-principles molecular-dynamics simulation of expanded liquid rubidium: temperature dependence of electronic properties
F. Shimojo, Y. Zempo, K. Hoshino and M. Watabe 893
Gibbs-ensemble Monte Carlo simulation for the liquid–vapor coexistence of alkali fluids
E. Velasco, J.P. Hernandez, P. Tarazona and E. Chacón 897
Ion-electron pseudopotentials for liquid alloys with small charge-transfer effects
L.E. González, S. Dalgiç, D.J. González and M. Silbert 901
Molecular dynamics simulation of Li–Mg and Li–Na alloys
M. Canales, A. Giró and J.À. Padró 907
Static dielectric function of liquid lithium
L.E. González, D.J. González and M. Silbert 911
The dynamic structure of liquid lithium: results for a new type of interaction
S. Kambayashi, G. Nowotny, J. Chihara and G. Kahl 914
Temperature dependence of nucleation rate of spherical liquid drops and vapor bubbles
M. Iwamatsu and K. Horii 919
Ab initio simulation of high-temperature liquid selenium
F. Kirchhoff, M.J. Gillan and J.M. Holender 924

Concluding remarks

Summary — experiment
W.W. Warren Jr. 930
Theory of liquid and amorphous metals: the state-of-the-art
J. Hafner. 934

Author index Parts I and II 937
Subject index Parts I and II 949